

GOVERNMENT OF ANDHRA PRADESH
ABSTRACT

Water Resources Department - Administrative Sanction for the work of Construction of Retaining wall from km 12.100 to Km 12.400 on Dantaluru codu medium drain in the village limits of Perakalapudi, Duggirala Mandal, Guntur District for Rs.36.62 Lakhs - Orders - Issued.

WATER RESOURCES (PROJECTS-II) DEPARTMENT

G.O.RT.No. 474

Dated: 17-09-2025

Read the following:

From the Chief Engineer, KDS, Vijayawada, Lr.No.CE/KDS/VJA/OT4/
AEE12/Drains-Guntur/ Dt:13-03-2025 through e-office Computer
No.2751897.

ORDER:-

In the reference read above, the Chief Engineer, Krishna Delta System, Vijayawada, while explaining the details and circumstances, has requested the Government to accord Administrative Sanction for the work of Construction of Retaining wall from km 12.100 to Km 12.400 on Dantaluru codu medium drain in the village limits of Perakalapudi, Duggirala Mandal, Guntur District for an amount of Rs.36.62 Lakhs, under Head of Account MH 4700 COL on M &MI - 01 MI (Commercial) - MH 136 KDS - GH(11) State Development Schemes -SH(27) C&D - 530 MW - 531MW.

2) Government after careful examination of the proposal, hereby accord administrative sanction for an amount of **Rs.36.62 Lakhs** (Rupees Thirty Six Lakhs and Sixty Two Thousand only) for the work of Construction of Retaining wall from km 12.100 to Km 12.400 on Dantaluru codu medium drain in the village limits of Perakalapudi, Duggirala Mandal, Guntur District, under Head of Account MH 4700 COL on M &MI - 01 MI (Commercial) - MH 136 KDS - GH(11) State Development Schemes -SH(27) C&D - 530 MW - 531MW, subject to the following conditions;

- i) The Chief Engineer shall ensure Correctness of quantities, leads, data and rates proposed in the estimate.
- ii) Design and drawings of the proposed retaining walls may be got approved by the Competent Authority.
- iii) The sane rate may be adopted as per the revised Sand Policy of the Government from time to time.
- iv) The seignoraige charges may be worked out as per G.O Ms No.100, Industries & Commerce (M.II) Department, dt.26.06.2025, as per the Government notified rates from time to time for the minor mineral quantities.

3) The Chief Engineer, Krishna Delta System, Vijayawada shall take necessary action accordingly.

(PTO)

:: 2 ::

4) This order issues with the concurrence of Finance (FMU-W.R.II) Department, vide their U.O.No.FIN01-FMU0MRAS(WR2)/82/2025, Computer No.2914813, dated 12.09.2025.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

**G. SAI PRASAD
SPECIAL CHIEF SECRETARY TO GOVERNMENT**

To

The Chief Engineer, Krishna Delta System, Vijayawada

Copy to:

The P.S to Hon'ble Minister for Water Resources

The P.S to Spl.Chief Secretary to Government (WRD)

The Finance (FMU-WR.II) Department

The Accountant General, A.P., Vijayawada

The Director of Works and Accounts, Mangalagiri

Sf/Sc

// FORWARDED :: BY ORDER //

SECTION OFFICER